



ŠKODA KODIAQ

Diesel engines

Technical specifications	2.0 TDI/110 kW (A)	2.0 TDI/110 kW 4*4	2.0 TDI/110 kW 4*4 (A)	2.0 TDI/140 kW 4*4 (A)
Engine				
Engine type	turbocharged diesel engine, turbocharger with self-aligning blades, in-line, liquid cooling system, DOHC, transverse in front			
Cylinders	4			
Displacement [cm ³]	1968			
Bore × Stroke [mm × mm]	81.0 × 95.5			
Max. engine performance/revs [kW at rpm]	110/3500-4000			140/3500-4000
Max. torque/revs [Nm at rpm]	340/1750-3000			400/1750-3250
Compression ratio	16.2 : 1			15.5 : 1
Emission limit	EU 6			
Fuel injection system	electronically controlled high-pressure direct injection – common-rail system			
Lubrication	force-feed lubrication with through-flow oil filter			
Fuel quality	diesel			
Transmission				
Wheel drive	front wheel drive	four-wheel drive with automatic torque distribution		
Clutch	two coaxial wet multiple-disk clutch, electro-hydraulically operated	hydraulic single dry clutch disc with membrane spring, asbestos free	two coaxial wet multiple-disk clutch, electro-hydraulically operated	
Transmission	automatic 7-speed, DSG, with Tiptronic manual gear changing	manual 6-speed fully synchronized	automatic 7-speed, DSG, with Tiptronic manual gear changing	
Transmission ratio	I-3.562 II-2.526 III-1.586 IV-0.938 V-0.722 VI-0.688 VII-0.574 R-2.788	I-3.769 II-2.087 III-1.324 IV-0.977 V-0.975 VI-0.814 R-4.549	I-3.562 II-2.526 III-1.586 IV-0.938 V-0.722 VI-0.688 VII-0.574 R-2.788	I-3.562 II-2.526 III-1.586 IV-0.938 V-0.722 VI-0.688 VII-0.574 R-2.788
Axle ratio	I-4.733 II-3.944	I-3.944 II-3.087	I-4.733 II-3.944	I-4.733 II-3.944
Chassis				
Front axle	MacPherson suspension with lower triangular links and torsion stabiliser			
Rear axle	multi-element axle, with one longitudinal and three transverse links, with torsion stabiliser			
Springs	telescopic shock absorbers with coil springs, in the rear outside the springs			
Braking system	hydraulic diagonal dual-circuit braking system, vacuum servo assisted			
Brake - front	disc brakes with inner cooling, with single/piston floating caliper			
Brake - rear	disc brakes			
Parking brake	electromechanical, on rear wheels			
Steering system	direct rack and pinion steering with electro mechanic power steering			
Wheels	7J × 17"			
Tyres	215/65 R17			



ŠKODA KODIAQ

Diesel engines

Technical specifications	2.0 TDI/110 kW (A)	2.0 TDI/110 kW 4*4	2.0 TDI/110 kW 4*4 (A)	2.0 TDI/140 kW 4*4 (A)
Body				
Body	5 door, two compartment, 5 seater {7 seater}			
Drag coefficient c_w	0.323 {0.324}	0.331 {0.341}		0.334 {0.338}
Outside dimensions				
Length [mm]	4697			
Width [mm]	1882			
Height (at kerb weight) [mm]	1655			
Wheel base [mm]	2791			
Clearance (at kerb weight) [mm]	187 {188}			
Track front [mm]	1586			
Track rear [mm]	1576			
Inside dimensions				
Width of front seats [mm]	1527			
Width of rear seats (2 nd /3 rd row) [mm]	1510/- {1511/1270}			
Headroom in front seats [mm]	1020			
Headroom in rear seats (2 nd /3 rd row) [mm]	1014/- {1015/905}			
Storage capacity (behind 3 rd row of seats up to headrests, boot cover is stored under the boot floor) [l]	{270***}			
Storage capacity up to the rear shelf (with 3 rd row of seats folded down, depending on position of backrest, and depending on the position of adjustable 2 nd row of seats) [l]	650-835*** {560-765***}			
Storage capacity with rear seats folded down, up to the roof [l]	2065 {2005}			
Weights				
Kerb weight - incl. driver** [kg]	1677 {1714}	1714 {1751}	1752 {1789}	1761 {1798}
Payload - incl. driver** [kg]	655 {748}	675 {710}	675 {766}	675 {765}
Total weight [kg]	2257 {2320}	2314 {2386}	2352 {2407}	2361 {2476}
Max. roof load [kg]	75			
Max. trailer load w/o brakes [kg]	750	750 {-}	750	
Max. trailer load with brakes - 12% [kg]	2000	2000 {-}	2500 {2000}	
Max. trailer load with brakes - 8% [kg]	2000	2000 {-}	2500 {2000}	
Max. nose weight [kg]	80	100 {80}		
Liquids				
Tank capacity [l]	58	60		



ŠKODA KODIAQ

Diesel engines

Technical specifications	2.0 TDI/110 kW (A)	2.0 TDI/110 kW 4×4	2.0 TDI/110 kW 4×4 (A)	2.0 TDI/140 kW 4×4 (A)
Performance/consumption				
Maximum speed [km/h]	199 {198}	196 {195}	194 {192}	210 {209}
Acceleration 0-100 km/h [s]	9.9 {10.0}	9.6 {9.8}	10.0 {10.2}	8.6 {8.8}
Fuel consumption (1999/100/EC)				
Consumption - urban [l/100 km]	x	6.3 {6.4}	6.7	6.6
Consumption - extra-urban [l/100 km]	x	4.7 {4.8}	5.1	5.3
Consumption - combined [l/100 km]	5.0	5.3 {5.4}	5.6	5.7
CO ₂ emissions [g/km]	131	139 {142}	147	150 {151}
Turning circle diameter [m]	11.6			

** Figures apply to basic version, weight of driver 75 kg.

*** The capacity depends on the position of the backrests and rear seats.

{ } Applies to 7-seater.

x Data was not available at the time of going to press.