



ŠKODA KODIAQ

Petrol engines

Technical specifications	1.4 TSI/92 kW	1.4 TSI/110 kW ACT 4*4	1.4 TSI/110 kW ACT (A)	1.4 TSI/110 kW 4*4 (A)	2.0 TSI/132 kW 4*4 (A)
Engine					
Engine type	turbocharged petrol engine, in-line, liquid cooling system, DOHC, transverse in front				
Cylinders	4				
Displacement [cm ³]	1395				1984
Bore × Stroke [mm × mm]	74.5 × 80.0				82.5 × 92.8
Max. engine performance/revs [kW at rpm]	92/5000-6000	110/5000-6000		132/3900-6000	
Max. torque/revs [Nm at rpm]	200/1400-4000	250/1500-3500		320/1400-3940	
Compression ratio	10.0 : 1				11.65 : 1
Emission limit	EU 6				
Fuel injection system	electronically controlled direct injection				electronically controlled combined (direct and port) injection
Ignition	control unit controlled electronic ignition system				
Lubrication	force-feed lubrication with through-flow oil filter				
Fuel quality	unleaded petrol min. RON 95				
Transmission					
Wheel drive	front wheel drive	four-wheel drive with automatic torque distribution	front wheel drive	four-wheel drive with automatic torque distribution	
Clutch	hydraulic single dry clutch disc with membrane spring, asbestos free		two coaxial dry multiple-disk clutch, electro-hydraulically operated		
Transmission	manual 6-speed fully synchronized		automatic 6-speed, DSG, with Tiptronic manual gear changing		automatic 7-speed, DSG, with Tiptronic manual gear changing
Transmission ratio	I-3.769 II-2.087 III-1.324 IV-0.977 V-0.975 VI-0.814 R-4.549	I-3.769 II-2.087 III-1.469 IV-1.088 V-1.108 VI-0.912 R-4.549	I-3.462 II-2.050 III-1.300 IV-0.902 V-0.914 VI-0.756 R-3.987	I-3.462 II-2.050 III-1.300 IV-0.902 V-0.914 VI-0.756 R-3.987	I-3.562 II-2.526 III-1.679 IV-1.022 V-0.788 VI-0.761 VII-0.635 R-2.788
Axle ratio	I-4.563 II-3.476	I-4.563 II-3.476	I-4.800 II-3.600	I-4.800 II-3.600	I-4.733 II-3.944



ŠKODA KODIAQ

Petrol engines

Technical specifications	1.4 TSI/92 kW	1.4 TSI/110 kW ACT 4*4	1.4 TSI/110 kW ACT (A)	1.4 TSI/110 kW 4*4 (A)	2.0 TSI/132 kW 4*4 (A)
Chassis					
Front axle	MacPherson suspension with lower triangular links and torsion stabiliser				
Rear axle	multi-element axle, with one longitudinal and three transverse links, with torsion stabiliser				
Springs	telescopic shock absorbers with coil springs, in the rear outside the springs				
Braking system	hydraulic diagonal dual-circuit braking system, vacuum servo assisted				
Brake - front	disc brakes with inner cooling, with single/piston floating caliper				
Brake - rear	disc brakes				
Parking brake	electromechanical, on rear wheels				
Steering system	direct rack and pinion steering with electro mechanic power steering				
Wheels	7J x 17"				
Tyres	215/65 R17				
Body					
Body	5 door, two compartment, 5 seater {7 seater}				
Drag coefficient c _w	0.327 {0.329}	0.332 {0.341}	0.327 {0.329}	0.332 {0.341}	0.330 {0.336}
Outside dimensions					
Length [mm]	4697				
Width [mm]	1882				
Height (at kerb weight) [mm]	1655				
Wheel base [mm]	2791				
Clearance (at kerb weight) [mm]	187 {188}				
Track front [mm]	1586				
Track rear [mm]	1576				
Inside dimensions					
Width of front seats [mm]	1527				
Width of rear seats (2 nd /3 rd row) [mm]	1510/- {1511/1270}				
Headroom in front seats [mm]	1020				
Headroom in rear seats (2 nd /3 rd row) [mm]	1014/- {1015/905}				
Storage capacity (5-seater) [l]	650-835*** {560-765***}				
Storage capacity with rear seatback folded down (5-seater)	2065 {2005}				
Storage capacity with rear seatback folded down (7-seater) [l]	{270***}				



ŠKODA KODIAQ

Petrol engines

Technical specifications		1.4 TSI/92 kW	1.4 TSI/110 kW ACT 4*4	1.4 TSI/110 kW ACT (A)	1.4 TSI/110 kW 4*4 (A)	2.0 TSI/132 kW 4*4 (A)
Weights						
Kerb weight - incl. driver**	[kg]	1527 {1570}	1615 {1653}	1551 {1594}	1625 {1662}	1707 {1744}
Payload - incl. driver**	[kg]	450 {590}	475 {605}	450 {597}	475 {605}	475 {606}
Total weight	[kg]	2102 {2174}	2215 {2292}	2126 {2199}	2225 {2301}	2307 {2373}
Max. roof load	[kg]			75		
Max. trailer load w/o brakes	[kg]			750		
Max. trailer load with brakes - 12%	[kg]	1600	2000	1800	2000	2200 {2000}
Max. trailer load with brakes - 8%	[kg]	1600	2000	1800	2000	2200 {2000}
Max. nose weight	[kg]	75 {66}	100 {80}	75 {72}		100 {80}
Liquids						
Tank capacity	[l]	58	60	58		60
Performance/consumption						
Maximum speed	[km/h]	190 {189}	197 {196}	198 {197}	194 {193}	206 {205}
Acceleration 0-100 km/h	[s]	10.7 {10.9}	9.8 {9.9}	9.4 {9.6}	9.7 {9.9}	7.8 {8.0}
Fuel consumption (1999/100/EC)						
Consumption - urban	[l/100 km]	x	8.2	x	x	9.0
Consumption - extra-urban	[l/100 km]	x	5.9	x	x	6.3
Consumption - combined	[l/100 km]	6.0	6.8	6.1	7.1	7.3
CO ₂ emissions	[g/km]	140	153 {154}	141	164	168
Turning circle diameter	[m]			11.6		

* Using low-octane fuel may affect engine performance.

** Figures apply to basic version, weight of driver 75 kg.

*** The capacity depends on the position of the backrests and rear seats.

{ } Apply to 7-seater.

x Data was not available at the time of going to press.