



ŠKODA YETI 4×4

Diesel engines

Technical specifications	2.0 TDI/81 kW	2.0 TDI/110 kW	2.0 TDI/110 kW (A)
Engine			
Engine type	turbocharged diesel engine, turbocharger with self-aligning blades, in-line, liquid cooling system, DOHC, transverse in front		
Cylinders	4		
Displacement [cm ³]	1968		
Bore × Stroke [mm × mm]	81.0 × 95.5		
Max. engine performance/revs [kW at rpm]	81/3500	110/3500	
Max. torque/revs [Nm at rpm]	250/1750–3000	340/1750–3000	
Compression ratio	16.2 : 1		
Emission limit	EU 6		
Fuel injection system	electronically controlled high-pressure direct injection – common-rail system		
Lubrication	force-feed lubrication with through-flow oil filter		
Fuel quality	diesel		
Transmission			
Wheel drive	permanent four-wheel drive with automatic torque distribution		
Clutch	hydraulic single dry clutch disc with membrane spring, asbestos free		two coaxial wet multiple-disk clutch, electro-hydraulically operated
Transmission	manual 6-speed fully synchronized		automatic 6-speed, DSG, with Tiptronic manual gear changing
Transmission ratio	I-3.77 II-1.96 III-1.26 IV-0.87 V-0.86 VI-0.72 R-4.55	I-3.77 II-2.09 III-1.26 IV-0.87 V-0.86 VI-0.72 R-4.55	I-3.46 II-1.91 III-1.13 IV-0.76 V-0.76 VI-0.62 R-3.99
Axle ratio	4.235/3.273	3.875/3.100	4.375/3.333
Chassis			
Front axle	MacPherson suspension with lower triangular links and torsion stabiliser		
Rear axle	multi-element axle, with one longitudinal and three transverse links, with torsion stabiliser		
Springs	telescopic shock absorbers with coil springs, in the rear outside the springs		
Braking system	hydraulic dual-diagonal circuit braking system vacuum assisted with Dual Rate system		
Brake – front	disc brakes with inner cooling, with single/piston floating caliper		
Brake – rear	disc brakes		
Parking brake	manual, on rear wheels		
Steering system	direct rack and pinion steering with electro mechanic power steering		
Wheels	7J × 16"		
Tyres	215/60 R16		
Body			
Body	5 door, two compartment, 5 seater		
Drag coefficient c _w	0.365		



ŠKODA YETI 4×4

Diesel engines

Technical specifications		2.0 TDI/81 kW	2.0 TDI/110 kW	2.0 TDI/110 kW (A)
Outside dimensions				
Length	[mm]		4222	
Width	[mm]		1793	
Height (at kerb weight)	[mm]		1691	
Wheel base	[mm]		2578	
Clearance (at kerb weight)	[mm]		180	
Height of the loading sill (at kerb weight)	[mm]		712	
Track front	[mm]		1541	
Track rear	[mm]		1537	
Inside dimensions				
Width of front seats	[mm]		1446	
Width of rear seats	[mm]		1437	
Headroom in front seats	[mm]		1034	
Headroom in rear seats	[mm]		1027	
Storage capacity	[l]		405–510***	
Storage capacity with rear seats backrests down	[l]		1580	
Storage capacity with rear seats removed	[l]		1760	
Weights				
Kerb weight – incl. driver**	[kg]	1550	1565	1585
Payload – incl. driver**	[kg]	620	645	
Total weight	[kg]	2095	2135	2155
Max. roof load	[kg]		100	
Max. trailer load w/o brakes	[kg]		750	
Max. trailer load with brakes – 12%	[kg]	1800		2100
Max. trailer load with brakes – 8%	[kg]	1800		2100
Max. nose weight	[kg]	80		85
Liquids				
Tank capacity	[l]		60	



ŠKODA YETI 4×4

Diesel engines

Technical specifications	2.0 TDI/81 kW	2.0 TDI/110 kW	2.0 TDI/110 kW (A)
Performance/consumption			
Maximum speed [km/h]	175	195	192
Acceleration 0-100 km/h [s]	12.2	9.1	9.2
Fuel consumption (1999/100/EC)			
Consumption – urban [l/100 km]	6.3	6.0	6.3
Consumption – extra-urban [l/100 km]	4.6	4.6	5.0
Consumption – combined [l/100 km]	5.3	5.1	5.5
CO ₂ emissions [g/km]	137	134	144
Turning circle diameter [m]	10.3		

The technical Data is valid for the basic version.

** Figures apply to basic version, weight of driver 75 kg.

*** The capacity depends on the position of the backrests and rear seats.



ŠKODA YETI 4×4

Petrol engines

Technical specifications	1.4 TSI/110 kW	1.4 TSI/110 kW (A)
Engine		
Engine type	turbocharged petrol engine, in-line, liquid cooling system, DOHC, transverse in front	
Cylinders	4	
Displacement [cm ³]	1395	
Bore × Stroke [mm × mm]	74.5 × 80.0	
Max. engine performance/revs [kW at rpm]	110/5000-6000	
Max. torque/revs [Nm at rpm]	250/1500-3500	
Compression ratio	10.0 : 1	
Emission limit	EU 6	
Fuel injection system	electronically controlled direct injection	
Ignition	control unit controlled electronic ignition system	
Lubrication	force-feed lubrication with through-flow oil filter	
Fuel quality	unleaded petrol min. RON 95	
Transmission		
Wheel drive	permanent four-wheel drive with automatic torque distribution	
Clutch	hydraulic single dry clutch disc with membrane spring, asbestos free	two coaxial wet multiple-disk clutch, electro-hydraulically operated
Transmission	manual 6-speed fully synchronized	automatic 6-speed, DSG, with Tiptronic manual gear changing
Transmission ratio	I-3.77 II-2.09 III-1.47 IV-1.10 V-1.11 VI-0.93 R-4.55	I-3.46 II-2.05 III-1.30 IV-0.90 V-0.91 VI-0.76 R-3.99
Axle ratio	3.944/3.087	4.800/3.600
Chassis		
Front axle	MacPherson suspension with lower triangular links and torsion stabiliser	
Rear axle	multi-element axle, with one longitudinal and three transverse links, with torsion stabiliser	
Springs	telescopic shock absorbers with coil springs, in the rear outside the springs	
Braking system	hydraulic dual-diagonal circuit braking system vacuum assisted with Dual Rate system	
Brake - front	disc brakes with inner cooling, with single/piston floating caliper	
Brake - rear	disc brakes	
Parking brake	manual, on rear wheels	
Steering system	direct rack and pinion steering with electro mechanic power steering	
Wheels	7J × 16"	
Tyres	215/60 R16	
Body		
Body	5 door, two compartment, 5 seater	
Drag coefficient c _w	0.369	



ŠKODA YETI 4×4

Petrol engines

Technical specifications		1.4 TSI/110 kW	1.4 TSI/110 kW (A)
Outside dimensions			
Length	[mm]	4222	
Width	[mm]	1793	
Height (at kerb weight)	[mm]	1691	
Wheel base	[mm]	2578	
Clearance (at kerb weight)	[mm]	180	
Height of the loading sill (at kerb weight)	[mm]	712	
Track front	[mm]	1541	
Track rear	[mm]	1537	
Inside dimensions			
Width of front seats	[mm]	1446	
Width of rear seats	[mm]	1437	
Headroom in front seats	[mm]	1034	
Headroom in rear seats	[mm]	1027	
Storage capacity	[l]	405–510***	
Storage capacity with rear seats backrests down	[l]	1580	
Storage capacity with rear seats removed	[l]	1760	
Weights			
Kerb weight – incl. driver**	[kg]	1471	1496
Payload – incl. driver**	[kg]	620	
Total weight	[kg]	2016	2041
Max. roof load	[kg]	100	
Max. trailer load w/o brakes	[kg]	730	740
Max. trailer load with brakes – 12%	[kg]	1800	
Max. trailer load with brakes – 8%	[kg]	1800	
Max. nose weight	[kg]	80	
Liquids			
Tank capacity	[l]	60	



ŠKODA YETI 4×4

Petrol engines

Technical specifications	1.4 TSI/110 kW	1.4 TSI/110 kW (A)
Performance/consumption		
Maximum speed [km/h]	195	191
Acceleration 0-100 km/h [s]	8.7	8.9
Fuel consumption (1999/100/EC)		
Consumption – urban [l/100 km]	7.5	7.6
Consumption – extra-urban [l/100 km]	5.6	5.6
Consumption – combined [l/100 km]	6.3	6.4
CO ₂ emissions [g/km]	147	147
Turning circle diameter [m]	10.3	

The technical Data is valid for the basic version.

* Using low-octane fuel may affect engine performance.

** Figures apply to basic version, weight of driver 75 kg.

*** The capacity depends on the position of the backrests and rear seats.