



ŠKODA
SIMPLY CLEVER

ŠKODA KODIAQ SPORTLINE

Diesel engines

Technical specifications	2.0 TDI/110 kW (A)	2.0 TDI/110 kW 4×4	2.0 TDI/110 kW 4×4 (A)	2.0 TDI/140 kW 4×4 (A)
Engine				
Engine type	turbocharged diesel engine, turbocharger with self-aligning blades, in-line, liquid cooling system, DOHC, transverse in front			
Cylinders	4			
Displacement [cm ³]	1968			
Bore × Stroke [mm × mm]	81.0 × 95.5			
Max. engine performance/revs [kW at rpm]	110/3500–4000			140/3500–4000
Max. torque/revs [Nm at rpm]	340/1750–3000			400/1750–3250
Compression ratio	16.2 : 1			15.5 : 1
Emission limit	EU 6			
Fuel injection system	electronically controlled high-pressure direct injection – common-rail system			
Lubrication	force-feed lubrication with through-flow oil filter			
Fuel quality	diesel			
Transmission				
Wheel drive	front wheel drive	four-wheel drive with automatic torque distribution		
Clutch	two coaxial wet multiple-disk clutch, electro-hydraulically operated	hydraulic single dry clutch disc with membrane spring, asbestos free	two coaxial wet multiple-disk clutch, electro-hydraulically operated	
Transmission	automatic 7-speed, DSG, with Tiptronic manual gear changing	manual 6-speed fully synchronized	automatic 7-speed, DSG, with Tiptronic manual gear changing	
Transmission ratio	I-3.562 II-2.526 III-1.586 IV-0.938 V-0.722 VI-0.688 VII-0.574 R-2.788	I-3.769 II-2.087 III-1.324 IV-0.977 V-0.975 VI-0.814 R-4.549	I-3.562 II-2.526 III-1.586 IV-0.938 V-0.722 VI-0.688 VII-0.574 R-2.788	I-3.562 II-2.526 III-1.586 IV-0.938 V-0.722 VI-0.688 VII-0.574 R-2.788
Axle ratio	I-4.733 II-3.944	I-3.944 II-3.087	I-4.733 II-3.944	I-4.733 II-3.944



ŠKODA
SIMPLY CLEVER

ŠKODA KODIAQ SPORTLINE

Diesel engines

Technical specifications	2.0 TDI/110 kW (A)	2.0 TDI/110 kW 4x4	2.0 TDI/110 kW 4x4 (A)	2.0 TDI/140 kW 4x4 (A)
Chassis				
Front axle	MacPherson suspension with lower triangular links and torsion stabiliser			
Rear axle	multi-element axle, with one longitudinal and three transverse links, with torsion stabiliser			
Springs	telescopic shock absorbers with coil springs, in the rear outside the springs			
Braking system	hydraulic diagonal dual-circuit braking system, vacuum servo assisted			
Brake – front	disc brakes with inner cooling, with single/piston floating caliper			
Brake – rear	disc brakes			
Parking brake	electromechanical, on rear wheels			
Steering system	direct rack and pinion steering with electro mechanic power steering			
Wheels	7J x 19"			
Tyres	235/50 R19			
Body				
Body	5 door, two compartment, 5 seater {7 seater}			
Drag coefficient c_w	0.323 {0.324}	0.331 {0.341}		0.334 {0.338}
Outside dimensions				
Length	[mm]	4700		
Width	[mm]	1882		
Height (at kerb weight)	[mm]	1676		
Wheel base	[mm]	2791		
Clearance (at kerb weight)	[mm]	187 {189}		
Track front	[mm]	1586		
Track rear	[mm]	1576		



ŠKODA
SIMPLY CLEVER

ŠKODA KODIAQ SPORTLINE

Diesel engines

Technical specifications		2.0 TDI/110 kW (A)	2.0 TDI/110 kW 4x4	2.0 TDI/110 kW 4x4 (A)	2.0 TDI/140 kW 4x4 (A)
Inside dimensions					
Width of front seats	[mm]	1527			
Width of rear seats (2 nd /3 rd row)	[mm]	1510/- {1511/1270}			
Headroom in front seats	[mm]	1020			
Headroom in rear seats (2 nd /3 rd row)	[mm]	1014/- {1015/905}			
Storage capacity (behind 3 rd row of seats up to headrests, boot cover is stored under the boot floor)	[l]	{270***}			
Storage capacity up to the rear shelf (with 3 rd row of seats folded down, depending on position of backrest, and depending on the position of adjustable 2 nd row of seats)	[l]	650-835*** {560-765***}			
Storage capacity with rear seats folded down, up to the roof	[l]	2065 {2005}			
Weights					
Kerb weight – incl. driver**	[kg]	1667 {1710}	1705 {1748}	1740 {1783}	1752 {1795}
Payload – incl. driver**	[kg]	655 {752}	675 {710}	675 {768}	675 {767}
Total weight	[kg]	2247 {2349}	2305 {2383}	2340 {2460}	2352 {2472}
Max. roof load	[kg]	75			
Max. trailer load w/o brakes	[kg]	750	750 {-}	750	
Max. trailer load with brakes – 12%	[kg]	2000	2000 {-}	2500 {2000}	
Max. trailer load with brakes – 8%	[kg]	2000	2000 {-}	2500 {2000}	
Max. nose weight	[kg]	80	100 {-}	100 {80}	
Liquids					
Tank capacity	[l]	58	60		



ŠKODA
SIMPLY CLEVER

ŠKODA KODIAQ SPORTLINE

Diesel engines

Technical specifications		2.0 TDI/110 kW (A)	2.0 TDI/110 kW 4×4	2.0 TDI/110 kW 4×4 (A)	2.0 TDI/140 kW 4×4 (A)
Performance/consumption					
Maximum speed	[km/h]	199 {198}	197 {195}	194 {192}	210 {209}
Acceleration 0–100 km/h	[s]	10.1 {10.3}	9.7 {9.9}	9.9 {10.1}	8.6 {8.8}
Fuel consumption (1999/100/EC)					
Consumption – urban	[l/100 km]	5.7	6.3 {6.4}	6.7	6.6
Consumption – extra-urban	[l/100 km]	4.5	4.7 {4.8}	5.1	5.3
Consumption – combined	[l/100 km]	4.9	5.3 {5.4}	5.6	5.7
CO ₂ emissions	[g/km]	129	139 {142}	147	150 {151}
Turning circle diameter	[m]	11.6			

The technical data is valid for the basic version.

** Figures apply to basic version, weight of driver 75 kg.

*** The capacity depends on the position of the backrests and rear seats.

{ } Applies to 7-seater.



ŠKODA
SIMPLY CLEVER

ŠKODA KODIAQ SPORTLINE

Petrol engines

Technical specifications	1.4 TSI/110 kW ACT 4x4	1.4 TSI/110 kW ACT (A)	1.4 TSI/110 kW 4x4 (A)	2.0 TSI/132 kW 4x4 (A)
Engine				
Engine type	turbocharged petrol engine, in-line, liquid cooling system, DOHC, transverse in front			
Cylinders	4			
Displacement [cm ³]	1395			1984
Bore × Stroke [mm × mm]	74.5 × 80.0			82.5 × 92.8
Max. engine performance/revs [kW at rpm]	110/5000–6000			132/3900–6000
Max. torque/revs [Nm at rpm]	250/1500–3500			320/1400–3940
Compression ratio	10.0 : 1			11.65 : 1
Emission limit	EU 6			
Fuel injection system	electronically controlled direct injection			electronically controlled combined (direct and port) injection
Ignition	control unit controlled electronic ignition system			
Lubrication	force-feed lubrication with through-flow oil filter			
Fuel quality	unleaded petrol min. RON 95			
Transmission				
Wheel drive	four-wheel drive with automatic torque distribution	front wheel drive	four-wheel drive with automatic torque distribution	
Clutch	hydraulic single dry clutch disc with membrane spring, asbestos free	two coaxial dry multiple-disk clutch, electro-hydraulically operated		
Transmission	manual 6-speed fully synchronized	automatic 6-speed, DSG, with Tiptronic manual gear changing		automatic 7-speed, DSG, with Tiptronic manual gear changing
Transmission ratio	I-3.769 II-2.087 III-1.469 IV-1.088 V-1.108 VI-0.912 R-4.549	I-3.462 II-2.050 III-1.300 IV-0.902 V-0.914 VI-0.756 R-3.987	I-3.462 II-2.050 III-1.300 IV-0.902 V-0.914 VI-0.756 R-3.987	I-3.562 II-2.526 III-1.679 IV-1.022 V-0.788 VI-0.761 VII-0.635 R-2.788
Axle ratio	I-4.562 II-3.476	I-4.800 II-3.600	I-4.800 II-3.600	I-4.733 II-3.944



ŠKODA
SIMPLY CLEVER

ŠKODA KODIAQ SPORTLINE

Petrol engines

Technical specifications	1.4 TSI/110 kW ACT 4x4	1.4 TSI/110 kW ACT (A)	1.4 TSI/110 kW 4x4 (A)	2.0 TSI/132 kW 4x4 (A)
Chassis				
Front axle	MacPherson suspension with lower triangular links and torsion stabiliser			
Rear axle	multi-element axle, with one longitudinal and three transverse links, with torsion stabiliser			
Springs	telescopic shock absorbers with coil springs, in the rear outside the springs			
Braking system	hydraulic diagonal dual-circuit braking system, vacuum servo assisted			
Brake – front	disc brakes with inner cooling, with single/piston floating caliper			
Brake – rear	disc brakes			
Parking brake	electromechanical, on rear wheels			
Steering system	direct rack and pinion steering with electro mechanic power steering			
Wheels	7J x 19"			
Tyres	235/50 R19			
Body				
Body	5 door, two compartment, 5 seater {7 seater}			
Drag coefficient c_w	0.332 {0.341}	0.327 {0.329}	0.332 {0.341}	0.330 {0.336}
Outside dimensions				
Length [mm]	4700			
Width [mm]	1882			
Height (at kerb weight) [mm]	1676			
Wheel base [mm]	2791			
Clearance (at kerb weight) [mm]	187 {189}			
Track front [mm]	1586			
Track rear [mm]	1576			



ŠKODA
SIMPLY CLEVER

ŠKODA KODIAQ SPORTLINE

Petrol engines

Technical specifications		1.4 TSI/110 kW ACT 4x4	1.4 TSI/110 kW ACT (A)	1.4 TSI/110 kW 4x4 (A)	2.0 TSI/132 kW 4x4 (A)
Inside dimensions					
Width of front seats	[mm]			1527	
Width of rear seats (2 nd /3 rd row)	[mm]			1510/- {1511/1270}	
Headroom in front seats	[mm]			1020	
Headroom in rear seats (2 nd /3 rd row)	[mm]			1014/- {1015/905}	
Storage capacity (behind 3 rd row of seats up to headrests, boot cover is stored under the boot floor)	[l]			{270***}	
Storage capacity up to the rear shelf (with 3 rd row of seats folded down, depending on position of backrest, and depending on the position of adjustable 2 nd row of seats)	[l]			650-835*** {560-765***}	
Storage capacity with rear seats folded down, up to the roof	[l]			2065 {2005}	
Weights					
Kerb weight – incl. driver**	[kg]	1615 {1658}	1561 {1604}	1630 {1673}	1695 {1738}
Payload – incl. driver**	[kg]	675 {762}	650 {746}	675 {761}	675 {752}
Total weight	[kg]	2215 {2335}	2136 {2202}	2230 {2350}	2295 {2413}
Max. roof load	[kg]			75	
Max. trailer load w/o brakes	[kg]			750	
Max. trailer load with brakes – 12%	[kg]	2000	1800	2000	2200 {2000}
Max. trailer load with brakes – 8%	[kg]	2000	1800	2000	2200 {2000}
Max. nose weight	[kg]	100 {80}	75		100 {80}
Liquids					
Tank capacity	[l]	60	58		60



ŠKODA
SIMPLY CLEVER

ŠKODA KODIAQ SPORTLINE

Petrol engines

Technical specifications		1.4 TSI/110 kW ACT 4×4	1.4 TSI/110 kW ACT (A)	1.4 TSI/110 kW 4×4 (A)	2.0 TSI/132 kW 4×4 (A)
Performance/consumption					
Maximum speed	[km/h]	197 {196}	198 {197}	194 {192}	207 {205}
Acceleration 0–100 km/h	[s]	9.8 {9.9}	9.6 {9.7}	9.9 {10.1}	8.0 {8.2}
Fuel consumption (1999/100/EC)					
Consumption – urban	[l/100 km]	8.2	7.4	8.4	9.0
Consumption – extra-urban	[l/100 km]	5.9	5.5	6.2	6.3
Consumption – combined	[l/100 km]	6.8	6.2	7.0	7.3
CO ₂ emissions	[g/km]	153 {154}	141	161	168
Turning circle diameter	[m]	11.6			

The technical data is valid for the basic version.

* Using low-octane fuel may affect engine performance.

** Figures apply to basic version, weight of driver 75 kg.

*** The capacity depends on the position of the backrests and rear seats.

{ } Applies to 7-seater.