



ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI

Petrol engines

Technical specifications	1.0 TSI/81 kW	1.0 TSI/81 kW e-TEC (A)	1.5 TSI/110 kW	1.5 TSI/110 kW e-TEC (A)
Engine				
Engine type	turbocharged petrol engine. in-line. liquid cooling system. DOHC. transverse in front			
Cylinders	3		4	
Displacement [cm ³]	999		1498	
Bore × Stroke [mm × mm]	74.5 × 76.4		74.5 × 85.9	
Max. engine performance/revs [kW at rpm]	81/5500		110/5000–6000	
Max. torque/revs [Nm at rpm]	200/2000–3000		250/1500–3500	
Compression ratio	11.5 : 1		10.5 : 1	
Emission limit	EU 6 AP		EU 6 AP	
Fuel injection system	electronically controlled direct injection			
Ignition	control unit controlled electronic ignition system			
Lubrication	force-feed lubrication with through-flow oil filter			
Fuel quality	unleaded petrol min. RON 95			
Transmission				
Wheel drive	front wheel drive			
Clutch	hydraulic single dry clutch disc with membrane spring. asbestos free	two coaxial dry multiple-disk clutch. electro-hydraulically operated	hydraulic single dry clutch disc with membrane spring. asbestos free	two coaxial dry multiple-disk clutch. electro-hydraulically operated
Transmission	manual 6-speed fully synchronized	automatic 7-speed. DSG. with Tiptronic manual gear changing	manual 6-speed fully synchronized	automatic 7-speed. DSG. with Tiptronic manual gear changing
Transmission ratio	I-3.769 II-1.947 III-1.281 IV-0.973 V-0.778 VI-0.642 R-3.182	I-3.765 II-2.273 III-1.531 IV-1.133 V-1.176 VI-0.956 VII-0.795 R-4.170	I-3.750 II-2.100 III-1.276 IV-0.878 V-0.674 VI-0.510 Z-3.583	I-3.500 II-2.087 III-1.343 IV-0.933 V-0.074 VI-0.778 VII-0.653 Z-3.722
Axle ratio	4.688	I-4.438 II-3.227 III-4.176	4.235	I-4.800 II-3.429 III-4.500



ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI

Petrol engines

Technical specifications	1.0 TSI/81 kW	1.0 TSI/81 kW e-TEC (A)	1.5 TSI/110 kW	1.5 TSI/110 kW e-TEC (A)
Chassis				
Front axle	MacPherson suspension with lower triangular links and torsion stabiliser			
Rear axle	compound link crank-axle			
Springs	telescopic shock absorbers with coil springs. in the rear outside the springs			
Braking system	hydraulic diagonal dual-circuit braking system. electromechanical servo assisted			
Brake – front	disc brakes with inner cooling. with single/piston floating caliper			
Brake – rear	disc brakes			
Parking brake	electromechanical. on rear wheels			
Steering system	direct rack and pinion steering with electro mechanic power steering			
Body				
Body	5 door. two compartment. 5 seater			
Drag coefficient c_w	0.268	0.269	0.266	
Outside dimensions				
Length [mm]	4689			
Width [mm]	1829			
Height (at kerb weight) [mm]	1468			
Wheel base [mm]	2686			
Clearance (at kerb weight) [mm]	142			
Height of the loading sill (at kerb weight) [mm]	632			
Track front [mm]	1543			
Track rear [mm]	1535			
Inside dimensions				
Width of front seats [mm]	1463			
Width of rear seats [mm]	1444			
Headroom in front seats [mm]	1039			
Headroom in rear seats [mm]	985			
Storage capacity [l]	640			
Storage capacity with rear seatback folded down [l]	1700			



ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI

Petrol engines

Technical specifications		1.0 TSI/81 kW	1.0 TSI/81 kW e-TEC (A)	1.5 TSI/110 kW	1.5 TSI/110 kW e-TEC (A)
Weights					
Kerb weight – incl. driver*	[kg]	1313–1515	1353–1555	1350–1552	–
Payload – incl. driver*	[kg]	390–592	380–582	393–595	410–612
Total weight	[kg]	1830	1860	1870	1920
Max. roof load	[kg]	75			
Max. trailer load w/o brakes	[kg]	650	670		690
Max. trailer load with brakes – 12%	[kg]	1300		1500	
Max. trailer load with brakes – 8%	[kg]	1300		1500	
Max. nose weight	[kg]	80			
Liquids					
Tank capacity	[l]	45			
Performance/consumption					
Maximum speed	[km/h]	202	201	224	225
Acceleration 0–100 km/h	[s]	10.9	10.6	8.3	8.6
Fuel consumption (NEDC)					
– urban	[l/100 km]	6.0–6.1	5.1	6.3–6.4	5.8–5.9
– extra-urban	[l/100 km]	4.0	3.8–3.9	4.0–4.1	4.0–4.1
– combined	[l/100 km]	4.7–4.8	4.3–4.4	4.8–4.9	4.7–4.8
CO ₂ emissions	[g/km]	107–109	98–100	110–113	107–109
Fuel consumption (WLTP)					
– combined	[l/100 km]	–	–	–	–
CO ₂ emissions	[g/km]	–	–	–	–
Turning circle diameter	[m]	10.4			

The technical data is valid for the basic version.

** Figures apply to basic version, weight of driver 75 kg.

– The technical data are not available on the press deadline.

The specified fuel consumption and emission data have been determined according to the measurement procedures prescribed by law. Since 1st September 2017, certain new vehicles are already being type-approved according to the Worldwide Harmonized Light Vehicles Test Procedure (WLTP), a more realistic test procedure for measuring fuel consumption and CO₂ emissions. Starting on September 1st 2018,



ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI

Petrol engines

the New European Driving Cycle (NEDC) will be replaced by the WLTP in stages. Owing to the more realistic test conditions, the fuel consumption and CO₂ emissions measured according to the WLTP will, in many cases, be higher than those measured according to the NEDC.


We are currently still required by law to state the NEDC figures. In the case of new vehicles which have been type-approved according to the WLTP, the NEDC figures are derived from the WLTP data. It is possible to specify the WLTP figures voluntarily in addition until such time as this is required by law. In cases where the NEDC figures are specified as value ranges, these do not refer to a particular individual vehicle and do not constitute part of the sales offering. They are intended exclusively as a means of comparison between different vehicle types. Additional equipment and accessories (e.g. add-on parts, different tyre formats, etc.) may change the relevant vehicle parameters, such as weight, rolling resistance and aerodynamics, and, in conjunction with weather and traffic conditions and individual driving style, may affect fuel consumption, electrical power consumption, CO₂ emissions and the performance figures for the vehicle.



ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI

Petrol engines





ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI G-TEC

Technical specifications	1.5 TSI/96 kW G-TEC (A)
Engine	
Engine type	turbocharged petrol engine, in-line, liquid cooling system, DOHC, transverse in front
Cylinders	4
Displacement [cm ³]	1498
Bore × Stroke [mm × mm]	74.5 × 85.9
Max, engine performance/revs [kW at rpm]	96/5000–6000
Max, torque/revs [Nm at rpm]	200/1400–4000
Compression ratio	12.5 : 1
Emission limit	EU 6 AP
Fuel injection system	electronically controlled direct injection
Ignition	control unit controlled electronic ignition system
Lubrication	force-feed lubrication with through-flow oil filter
Fuel quality	unleaded petrol min. RON 95; natural gas – CNG
Transmission	
Wheel drive	front wheel drive
Clutch	two coaxial dry multiple-disk clutch, electro-hydraulically operated
Transmission	automatic 7-speed, DSG, with Tiptronic manual gear changing
Transmission ratio	I-3.765 II-2.273 III-1.531 IV-1.133 V-1.176 VI-0.956 VII-0.795 R-4.170
Axle ratio	I-4.438 II-3.227 III-4.176
Chassis	
Front axle	MacPherson suspension with lower triangular links and torsion stabiliser
Rear axle	compound link crank-axle
Springs	telescopic shock absorbers with coil springs, in the rear outside the springs
Braking system	hydraulic diagonal dual-circuit braking system, electromechanical servo assisted
Brake – front	disc brakes with inner cooling, with single/piston floating caliper
Brake – rear	disc brakes
Parking brake	electromechanical, on rear wheels
Steering system	direct rack and pinion steering with electro mechanic power steering
Body	
Body	5 door, two compartment, 5 seater
Drag coefficient c _w	0.276



ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI G-TEC

Technical specifications		1.5 TSI/96 kW G-TEC (A)
Outside dimensions		
Length	[mm]	4689
Width	[mm]	1829
Height (at kerb weight)	[mm]	1467
Wheel base	[mm]	2686
Clearance (at kerb weight)	[mm]	143
Height of the loading sill (at kerb weight)	[mm]	631
Track front	[mm]	1543
Track rear	[mm]	1534
Inside dimensions		
Width of front seats	[mm]	1463
Width of rear seats	[mm]	1444
Headroom in front seats	[mm]	1039
Headroom in rear seats	[mm]	985
Storage capacity	[l]	495
Storage capacity with rear seatback folded down	[l]	1560
Weights		
Kerb weight – incl. driver*	[kg]	1431–1589
Payload – incl. driver*	[kg]	375–533
Total weight	[kg]	1889
Max. roof load	[kg]	75
Max. trailer load w/o brakes	[kg]	710
Max. trailer load with brakes – 12%	[kg]	1400
Max. trailer load with brakes – 8%	[kg]	1400
Max. nose weight	[kg]	80
Liquids		
Tank capacity	[l; kg]	petrol: 9 l; CNG: 17.33 kg



ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI G-TEC

Technical specifications		1.5 TSI/96 kW G-TEC (A)
Performance/consumption		
Maximum speed	[km/h]	212
Acceleration 0–100 km/h	[s]	9.6
Fuel consumption (NEDC)		
– urban	[m ³ /100 km]	6.9–7.0
– extra-urban	[m ³ /100 km]	4.3–4.4
– combined	[m ³ /100 km]	5.3
– combined	[kg/100 km]	3.5
CO ₂ emissions	[g/km]	95–96
Fuel consumption (WLTP)		
– combined	[m ³ /100 km]	–
– combined	[kg/100 km]	–
CO ₂ emissions	[g/km]	–
Turning circle diameter	[m]	10.4

The technical data is valid for the basic version.

** Figures apply to basic version, weight of driver 75 kg.

– The technical data are not available on the press deadline.

The specified fuel consumption and emission data have been determined according to the measurement procedures prescribed by law. Since 1st September 2017, certain new vehicles are already being type-approved according to the Worldwide Harmonized Light Vehicles Test Procedure (WLTP), a more realistic test procedure for measuring fuel consumption and CO₂ emissions. Starting on September 1st 2018, the New European Driving Cycle (NEDC) will be replaced by the WLTP in stages. Owing to the more realistic test conditions, the fuel consumption and CO₂ emissions measured according to the WLTP will, in many cases, be higher than those measured according to the NEDC.

We are currently still required by law to state the NEDC figures. In the case of new vehicles which have been type-approved according to the WLTP, the NEDC figures are derived from the WLTP data. It is possible to specify the WLTP figures voluntarily in addition until such time as this is required by law. In cases where the NEDC figures are specified as value ranges, these do not refer to a particular individual vehicle and do not constitute part of the sales offering. They are intended exclusively as a means of comparison between different vehicle types. Additional equipment and accessories (e.g. add-on parts, different tyre formats, etc.) may change the relevant vehicle parameters, such as weight, rolling resistance and aerodynamics, and, in conjunction with weather and traffic conditions and individual driving style, may affect fuel consumption, electrical power consumption, CO₂ emissions and the performance figures for the vehicle.



ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI

Diesel engines

Technical specifications	2.0 TDI/85 kW	2.0 TDI/85 kW (A)	2.0 TDI/110 kW	2.0 TDI/110 kW (A)
Engine				
Engine type	turbocharged diesel engine, turbocharger with self-aligning blades, in-line, liquid cooling system, DOHC, transverse in front			
Cylinders	4			
Displacement [cm ³]	1968			
Bore × Stroke [mm × mm]	81.0 × 95.5			
Max. engine performance/revs [kW at rpm]	85/2750–4250	85/3250–4250	110/3250–4200	110/3000–4200
Max. torque/revs [Nm at rpm]	300/1600–2500	250/1500–3250	360/1600–3000	360/1600–2750
Compression ratio	16.0 : 1			
Emission limit	EU 6 AP			
Fuel injection system	electronically controlled high-pressure direct injection – common-rail system			
Lubrication	force-feed lubrication with through-flow oil filter			
Fuel quality	diesel			
Transmission				
Wheel drive	front wheel drive			
Clutch	hydraulic single dry clutch disc with membrane spring, asbestos free	two coaxial wet multiple-disk clutch, electro-hydraulically operated	hydraulic single dry clutch disc with membrane spring, asbestos free	two coaxial wet multiple-disk clutch, electro-hydraulically operated
Transmission	manual 6-speed fully synchronized	automatic 7-speed, DSG, with Tiptronic manual gear changing	manual 6-speed fully synchronized	automatic 7-speed, DSG, with Tiptronic manual gear changing
Transmission ratio	I-3.750 II-1.952 III-1.200 IV-0.833 V-0.638 VI-0.510 R-3.583	I-3.500 II-2.087 III-1.343 IV-0.933 V-0.974 VI-0.778 VII-0.653 R-3.722	I-3.750 II-1.952 III-1.200 IV-0.833 V-0.638 VI-0.510 R-3.583	I-3.579 II-2.750 III-1.677 IV-0.889 V-0.677 VI-0.722 VII-0.561 R-2.900
Axle ratio	3.684	I-4.800 II-3.429 III-4.500	3.684	I-4.167 II-3.125
Chassis				
Front axle	MacPherson suspension with lower triangular links and torsion stabiliser			
Rear axle	compound link crank-axle			
Springs	telescopic shock absorbers with coil springs, in the rear outside the springs			
Braking system	hydraulic diagonal dual-circuit braking system, electromechanical servo assisted			
Brake – front	disc brakes with inner cooling, with single/piston floating caliper			
Brake – rear	disc brakes			
Parking brake	electromechanical, on rear wheels			
Steering system	direct rack and pinion steering with electro mechanic power steering			



ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI

Diesel engines

Technical specifications		2.0 TDI/85 kW	2.0 TDI/85 kW (A)	2.0 TDI/110 kW	2.0 TDI/110 kW (A)
Body					
Body		5 door, two compartment, 5 seater			
Drag coefficient c_w		0.276	0.272	0.271	0.275
Outside dimensions					
Length	[mm]	4689			
Width	[mm]	1829			
Height (at kerb weight)	[mm]	1468			
Wheel base	[mm]	2686			
Clearance (at kerb weight)	[mm]	142			
Height of the loading sill (at kerb weight)	[mm]	632			
Track front	[mm]	1543			
Track rear	[mm]	1535			
Inside dimensions					
Width of front seats	[mm]	1463			
Width of rear seats	[mm]	1444			
Headroom in front seats	[mm]	1039			
Headroom in rear seats	[mm]	985			
Storage capacity	[l]	640			
Storage capacity with rear seatback folded down	[l]	1700			
Weights					
Kerb weight – incl. driver*	[kg]	1435–1637	1443–1645	1436–1638	1473–1675
Payload – incl. driver*	[kg]	378–590	400–602	397–599	390–592
Total weight	[kg]	1940	1970	1960	1990
Max. roof load	[kg]	75			
Max. trailer load w/o brakes	[kg]	710	720	710	730
Max. trailer load with brakes – 12%	[kg]	1500		1600	
Max. trailer load with brakes – 8%	[kg]	1500		1600	
Max. nose weight	[kg]	80			
Liquids					
Tank capacity	[l]	45			



ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI

Diesel engines

Technical specifications		2.0 TDI/85 kW	2.0 TDI/85 kW (A)	2.0 TDI/110 kW	2.0 TDI/110 kW (A)
Performance/consumption					
Maximum speed	[km/h]	206	205	225	222
Acceleration 0–100 km/h	[s]	10.4	10.8	8.8	8.8
Fuel consumption (NEDC)					
– urban	[l/100 km]	5.2	4.9-5.0	5.2-5.3	4.7-4.8
– extra-urban	[l/100 km]	3.1	3.2-3.3	3.1-3.2	3.2-3.3
– combined	[l/100 km]	3.8-3.9	3.9	3.9-4.0	3.8-3.9
CO ₂ emissions	[g/km]	101-103	102-104	103-104	100-102
Fuel consumption (WLTP)					
– combined	[l/100 km]	–	–	–	–
CO ₂ emissions	[g/km]	–	–	–	–
Turning circle diameter	[m]	10.4			

The technical data is valid for the basic version.

** Figures apply to basic version, weight of driver 75 kg.

– The technical data are not available on the press deadline.

The specified fuel consumption and emission data have been determined according to the measurement procedures prescribed by law. Since 1st September 2017, certain new vehicles are already being type-approved according to the Worldwide Harmonized Light Vehicles Test Procedure (WLTP), a more realistic test procedure for measuring fuel consumption and CO₂ emissions. Starting on September 1st 2018, the New European Driving Cycle (NEDC) will be replaced by the WLTP in stages. Owing to the more realistic test conditions, the fuel consumption and CO₂ emissions measured according to the WLTP will, in many cases, be higher than those measured according to the NEDC.


We are currently still required by law to state the NEDC figures. In the case of new vehicles which have been type-approved according to the WLTP, the NEDC figures are derived from the WLTP data. It is possible to specify the WLTP figures voluntarily in addition until such time as this is required by law. In cases where the NEDC figures are specified as value ranges, these do not refer to a particular individual vehicle and do not constitute part of the sales offering. They are intended exclusively as a means of comparison between different vehicle types. Additional equipment and accessories (e.g. add-on parts, different tyre formats, etc.) may change the relevant vehicle parameters, such as weight, rolling resistance and aerodynamics, and, in conjunction with weather and traffic conditions and individual driving style, may affect fuel consumption, electrical power consumption, CO₂ emissions and the performance figures for the vehicle.



ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI

Diesel engines





ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI 4×4

Technical specifications	2.0 TDI/110 kW 4×4 (A)	2.0 TDI/147 kW 4×4 (A)
Engine		
Engine type	turbocharged diesel engine, turbocharger with self-aligning blades, in-line, liquid cooling system, DOHC, transverse in front	
Cylinders	4	
Displacement [cm ³]	1968	
Bore × Stroke [mm × mm]	81.0 × 95.5	
Max. engine performance/revs [kW at rpm]	110/3000-4200	147/3600-4100
Max. torque/revs [Nm at rpm]	360/1600-2750	400/1750-3500
Compression ratio	16.0 : 1	15.5 : 1
Emission limit	EU 6 AP	
Fuel injection system	electronically controlled high-pressure direct injection – common-rail system	
Lubrication	force-feed lubrication with through-flow oil filter	
Fuel quality	diesel	
Transmission		
Wheel drive	four-wheel drive with automatic torque distribution	
Clutch	two coaxial wet multiple-disk clutch, electro-hydraulically operated	
Transmission	automatic 7-speed, DSG, with Tiptronic manual gear changing	
Transmission ratio	I-3.579 II-2.750 III-1.677 IV-0.889 V-0.677 VI-0.722 VII-0.561 R-2.900	I-3.579 II-2.750 III-1.677 IV-0.889 V-0.677 VI-0.722 VII-0.561 R-2.900
Axle ratio	I-4.471 II-3.125	I-4.471 II-3.304
Chassis		
Front axle	MacPherson suspension with lower triangular links and torsion stabiliser	
Rear axle	multi-element axle, with one longitudinal and three transverse links, with torsion stabiliser	
Springs	telescopic shock absorbers with coil springs, in the rear outside the springs	
Braking system	hydraulic diagonal dual-circuit braking system, electromechanical servo assisted	
Brake – front	disc brakes with inner cooling, with single/piston floating caliper	
Brake – rear	disc brakes	
Parking brake	electromechanical, on rear wheels	
Steering system	direct rack and pinion steering with electro mechanic power steering	



ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI 4×4

Technical specifications		2.0 TDI/110 kW 4×4 (A)	2.0 TDI/147 kW 4×4 (A)
Body			
Body		5 door, two compartment, 5 seater	
Drag coefficient c_w		0.272	0.279
Outside dimensions			
Length	[mm]	4689	
Width	[mm]	1829	
Height (at kerb weight)	[mm]	1467	
Wheel base	[mm]	2680	
Clearance (at kerb weight)	[mm]	141	
Height of the loading sill (at kerb weight)	[mm]	632	
Track front	[mm]	1543	
Track rear	[mm]	1542	
Inside dimensions			
Width of front seats	[mm]	1463	
Width of rear seats	[mm]	1444	
Headroom in front seats	[mm]	1039	
Headroom in rear seats	[mm]	985	
Storage capacity	[l]	640	
Storage capacity with rear seatback folded down	[l]	1700	
Weights			
Kerb weight – incl. driver*	[kg]	1566–1768	1560–1762
Payload – incl. driver*	[kg]	494–642	497–644
Total weight	[kg]	2088–2187	2083–2184
Max. roof load	[kg]	75	
Max. trailer load w/o brakes	[kg]	750	
Max. trailer load with brakes – 12%	[kg]	2000	
Max. trailer load with brakes – 8%	[kg]	2000	
Max. nose weight	[kg]	80	
Liquids			
Tank capacity	[l]	55	



ŠKODA
SIMPLY CLEVER

ŠKODA OCTAVIA COMBI 4×4

Technical specifications		2.0 TDI/110 kW 4×4 (A)	2.0 TDI/147 kW 4×4 (A)
Performance/consumption			
Maximum speed	[km/h]	218	236
Acceleration 0–100 km/h	[s]	8.5	6.7
Fuel consumption (NEDC)			
– urban	[l/100 km]	–	6.4
– extra-urban	[l/100 km]	–	4.3
– combined	[l/100 km]	–	5.1
CO ₂ emissions	[g/km]	–	133
Fuel consumption (WLTP)			
– combined	[l/100 km]	–	–
CO ₂ emissions	[g/km]	–	–
Turning circle diameter	[m]	10.4	

The technical data is valid for the basic version.

** Figures apply to basic version, weight of driver 75 kg.

– The technical data are not available on the press deadline.

The specified fuel consumption and emission data have been determined according to the measurement procedures prescribed by law. Since 1st September 2017, certain new vehicles are already being type-approved according to the Worldwide Harmonized Light Vehicles Test Procedure (WLTP), a more realistic test procedure for measuring fuel consumption and CO₂ emissions. Starting on September 1st 2018, the New European Driving Cycle (NEDC) will be replaced by the WLTP in stages. Owing to the more realistic test conditions, the fuel consumption and CO₂ emissions measured according to the WLTP will, in many cases, be higher than those measured according to the NEDC.

We are currently still required by law to state the NEDC figures. In the case of new vehicles which have been type-approved according to the WLTP, the NEDC figures are derived from the WLTP data. It is possible to specify the WLTP figures voluntarily in addition until such time as this is required by law. In cases where the NEDC figures are specified as value ranges, these do not refer to a particular individual vehicle and do not constitute part of the sales offering. They are intended exclusively as a means of comparison between different vehicle types. Additional equipment and accessories (e.g. add-on parts, different tyre formats, etc.) may change the relevant vehicle parameters, such as weight, rolling resistance and aerodynamics, and, in conjunction with weather and traffic conditions and individual driving style, may affect fuel consumption, electrical power consumption, CO₂ emissions and the performance figures for the vehicle.